REPORT DOCUMENTATION PAGE

1. REPORT NUMBER	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
N00014-76-C-0745-20		

4. TITLE (and Subtitle)	5. TYPE OF REPORT & PERIOD COVERED
Chemiluminescence of Dimethyldioxetanone. Unimolecular Generation of Excited Singlet and Triplet Acetone. Chemically Initiated Electron-Exchange Luminescence, the Primary Light Generating Reaction.	Technical rept.
	6. PERFORMING ORG. REPORT NUMBER

7. AUTHOR(s)	8. CONTRACT OR GRANT NUMBER(s)
Gary B. Schuster and Steven P. Schmidt	N00014-76-C-0745

9. PERFORMING ORGANIZATION NAME AND ADDRESS	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
Department of Chemistry University of Illinois Urbana, IL 61801	NR 051-616

11. CONTROLLING OFFICE NAME AND ADDRESS	12. REPORT DATE
Chemistry Program, Materials Science Division, Office of Naval Research, 800 N. Quincy Street Arlington, VA 22217	May 1979
	13. NUMBER OF PAGES
	47

14. MONITORING AGENCY NAME & ADDRESS(if different from Controlling Office)	15. SECURITY CLASS. (of this report)
	Unclassified
	15a. DECLASSIFICATION/DOWNGRADING SCHEDULE

16. DISTRIBUTION STATEMENT (of this Report)

This document has been approved for public release and sale; its distribution is unlimited.

17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)

18. SUPPLEMENTARY NOTES

19. KEY WORDS (Continue on reverse side if necessary and identify by block number)

Chemiluminescence	Dioxetanone
Electron Transfer	
Peroxide Thermolysis	
Kinetics	

20. ABSTRACT (Continue on reverse side if necessary and identify by block number)

Dimethyldioxetanone (2a) undergoes two distinct thermal reactions which generate electronically excited states. The unimolecular decomposition of 2a at $30.0°C$ produces excited singlet and triplet acetone, with efficiencies of 0.1 and 1.5% respectively. The composite activation energy for formation of singlet acetone is 3-4 kcal mol^{-1} greater than the activation energy for the thermal disappearance of 2a. This result is interpreted in terms of two parallel competitive pathways for dioxetanone decomposition, the more highly activated one of which leads to excited acetone. The addition of easily oxidized aromatic

Chemiluminescence of Dimethyldioxetanone.

Unimolecular Generation of Excited Singlet and Triplet Acetone.

Chemically Initiated Electron-Exchange Luminescence,

the Primary Light Generating Reaction.

by

Gary B. Schuster and Steven P. Schmidt

Prepared for Publication

in

Journal of the American Chemical Society

School of Chemical Sciences

University of Illinois

Urbana, Illinois 61801

May 10, 1979

Abstract: Dimethyldioxetanone (2a) undergoes two distinct thermal reactions which generate electronically excited states. The unimolecular decomposition of 2a at 30.0°C produces excited singlet and triplet acetone, with efficiencies of 0.1 and 1.5% respectively. The composite activation energy for formation of singlet acetone is 3-4 kcal mol^{-1} greater than the activation energy for the thermal disappearance of 2a. This result is interpreted in terms of two parallel competitive pathways for dioxetanone decomposition, the more highly activated one of which leads to excited acetone. The addition of easily oxidized aromatic hydrocarbons or amines catalyzes the chemiluminescence of 2a. The magnitude of the catalytic rate constant, and the efficiency of light production are correlated with the one electron oxidation potential of the hydrocarbon. Under these conditions the chemiluminescence results from a chemically initiated electron-exchange luminescence (CIEEL) path.

Considerable insight into the mechanisms of chemiluminescence has been provided by the extensive investigation over the past decade of the chemistry of 1,2-dioxetanes (1).[3] To date nearly one hundred of these molecules have been prepared and their properties scrutinized in order to elucidate the mechanistic details of their remarkable transformation to excited state carbonyl-containing products. Meanwhile, only a few of the closely related dioxetanones (2) have been reported.[4] Their study has been hindered by difficulties in synthetic entries[5] and by their thermal and catalytic lability.

1

a, $R_1 - R_4 = CH_3$

2

a, R_1, $R_2 = CH_3$

The chemiluminescence of dioxetanones is of particular interest due to their postulated intermediacy in several bioluminescent reactions,[6] including that of the firefly.[7] Prior to their isolation, simple alkyl substituted dioxetanes such as 1a had been proposed as appropriate models for these bioluminescent reactions.[8] Upon careful study of the chemiluminescence of alkyl dioxetanes, however, a major incongruity with this suggestion soon became apparent. While all dioxetanes synthesized thus far do indeed generate excited states with fair efficiency, these are predominantly in the essentially nonluminescent triplet state.[3] Bioluminescent systems, on the other hand, form the emitting excited singlet state with high efficiency.[9]

An early report by Adam[10] noted that the addition of rubrene to solutions of 2a gave a yield of light twenty times that when 9,10-diphenylanthracene was added. Only recently, however, was a satisfactory explanation advanced by us[1b] and later Adam.[11] Recently, Sawaki and Ogata[12] also observed, in the base

catalyzed decomposition of α-hydroperoxyesters, for which a dioxetanone interme-
diate was proposed, an unusual dependence of the chemiluminescence yield on the
identity of added fluorescer. The findings of Adam and those of Sawaki and Ogata,
lie in stark contrast to results on simple alkyl substituted dioxetanes.

With these ideas in mind we initiated a detailed investigation of the
chemiluminescent decomposition of 2a. This study had two primary objectives.
First, we wished to examine the direct chemiluminescence resulting from the
unimolecular transformation of 2a to excited state carbonyls, and to compare the
activation parameters, the absolute yield of excited states, and the triplet
to singlet excited state ratio, with those of dioxetanes such as 1a. Second,
we wished to examine the chemiluminescence of 2a in the presence of various
fluorescers, and determine the nature of the apparently unconventional genera-
tion of excited states. It was anticipated that this study would engender new
insight into the role of dioxetanones in other chemi- and bioluminescent reac-
tions.

Results

I. Unimolecular Chemiluminescence

Chemiluminescence from Thermolysis of Dimethyldioxetanone. Thermolysis
of dimethyldioxetanone (2a) in any of a number of solvents leads quantitatively
to acetone and to readily detected chemiluminescence (eq 1). Excited singlet
and triplet states of acetone are both generated, and are readily identified
by their characteristic fluorescence and phosphorescence spectra. The chemi-
luminescence of air saturated $C_2Cl_3F_3$ solutions of 2a consists of acetone

2a

$$\underset{\text{2a}}{\overset{O-O}{\underset{CH_3}{\overset{CH_3}{\bigsqcup}}}\overset{O}{\longrightarrow}} \quad \xrightarrow[-CO_2]{\Delta} \quad \overset{O}{\underset{CH_3}{\overset{\parallel}{\underset{CH_3}{\bigsqcup}}}} \; + \; light \qquad (1)$$

fluorescence (Figure 1a) while in argon purged solutions the emission is predominantly phosphorescence (Figure 1b). These chemiluminescence spectra of 2a are superimposable with those from tetramethyl-1,2-dioxetane (1a) obtained under comparable conditions.[1a,13] This finding confirms the generation of electronically excited acetone from 2a. It also rules out the involvement of an emissive acetone excimer from 1a.[14]

Activation Energy for the Thermolysis of 2a. Two techniques were used in analyzing the activation parameters for the unimolecular reaction of 2a. In the first, the kinetics of decomposition were measured in the conventional manner by monitoring the decrease in [2a] by the change in chemiluminescence intensity (acetone fluorescence) with time. The activation energy, E_a (Table I) is obtained by standard Arrhenius analysis of the temperature dependence of the derived first order rate constants. Measurements were made in four solvents.

In the second technique, the temperature dependence of the initial instantaneous chemiluminescence intensity was used to determine the activation energy for that fraction of reaction of 2a which leads to chemiluminescence via the excited singlet of acetone.[15] This chemiluminescence intensity activation energy, E_{chl}, was measured in five solvents, as summarized in Table I. Critically, and in contrast to the activation parameters of simply substituted dioxetanes studied thus far, E_{chl} for 2a is 3-4 kcal mol^{-1} greater than E_a. This difference is independent of solvent.

Dioxetanes are extremely susceptible to catalyzed decomposition by various trace impurities.[16] Such a parallel, non-light-generating path, if operative in the present system, could result in a lowering of the apparent kinetic activation energy, E_a. Several experimental observations address this possibility. Most significantly, E_a was determined in four solvents which had been

purified by different techniques. As indicated in Table I, virtually identi-

cal results were obtained in the four solvents. Thus any catalytic component

to the decomposition of 2a would fortuitously have to be equally efficient in

all solvents investigated. The possibility of a catalytic impurity in the

dioxetanone sample is excluded by the finding that the decomposition rate con-

stant is independent (±1%) of initial dioxetanone concentration. Also, addi-

tion of the chelating agent ethylenediaminetetraacetic acid (EDTA) had no

effect on the rate constant of decomposition. In fact, the powerful catalytic

effect of added cupric ion,[17] was completely supressed by adding Na_4EDTA.

Finally, the entropy of activation for thermolysis of 2a at 25°C is ±3 eu in

the four solvents of Table I, a value inconsistent with a bimolecular catalysis

path.[18]

Yield of Excited States from the Unimolecular Thermolysis of Dimethyl-

dioxetanone. The yields of excited singlet and triplet acetone produced from

2a were determined relative to the yields of excited singlet and triplet ace-

tone from the thermolysis of 1a, which are fairly well established at 0.2[19,20a]

and 30%[20] respectively. The total time integrated fluorescence and phosphor-

escence intensities from 2a were compared directly with that from 1a under

identical conditions. The efficiencies of singlet and triplet acetone genera-

tion from thermolysis of 2a at 30°C in $C_2Cl_3F_3$ thus measured are 0.1 and 1.5%

respectively.[21]

The efficiency of excited singlet acetone generation ϕ_s* is significantly

dependent upon the reaction temperature, as is indicated in Table II.

These data afford a temperature coefficient for ϕ_s* of (4.2 ±.2) kcal mol^{-1}.

This is the first reported example of a temperature dependent singlet excited

state yield from the thermal unimolecular reaction of the 1,2-dioxetane ring

system.[22]

II Activator Catalyzed Chemiluminescence

Kinetics of the Activator Catalyzed Reaction of Dimethyldioxetanone.

The addition of any of several easily oxidized, emitting aromatic hydrocarbons or amines to benzene or dichloromethane solutions of 2a results in greatly enhanced chemiluminescence. Moreover, addition of these molecules accelerates the rate of reaction of 2a. The magnitude of this rate acceleration is quite remarkable. The half life of 2a in benzene at 24.5°C is approximately 20 min; in the presence of just $1 \times 10^{-3} M$ dimethyldihydrophenazine (3) (DMP) the half life of 2a is one second! The reaction is first order in both 2a and aromatic hydrocarbon(or amine). Acetone is still produced quantitatively. Moreover, the hydrocarbon is not consumed in the reaction,[23] but rather serves as a catalyst for the decomposition of the dioxetanone. These molecules will subsequently be referred to as catalytic chemiluminescence activators (ACT). The kinetic behavior is thus described by the simple rate law of eq 2, where k_1 is the rate constant for unimolecular reaction and k_{cat} is the bimolecular rate constant for the activator catalyzed reaction. The kinetics of the catalyzed reaction for a series of activators including four dihydrophenazines (Figure 2) are analyzed according to eq 2 in Figure 3. While the unimolecular rate constant

$$k_{OBS} = k_1 + k_{cat} [ACT] \tag{2}$$

k_1, the intercept of Figure 3, is independent of activator identity, the bimolecular rate constant k_{cat}, the slope of Figure 3, is highly dependent on the nature of the activator as summarized in Table III. In fact, k_{cat} in benzene at 24.5°C is over 13000 times larger for DMP (3) than for rubrene. While the experimental scatter is substantial, it is clear that the only activator property which correlates with the magnitude of k_{cat} over this tremendous range is the one electron oxidation potential. This relationship is shown in Figure 4. The inverse correlation, wherein the more easily oxidized activator (lowest E_{ox})

has the larger k_{cat} associated with it, suggests an endothermic one electron transfer from activator to dioxetanone in the rate determining step of the catalytic reaction.

Chemiluminescence from the Activator Catalyzed Reaction of Dimethyldioxetanone. The luminescence observed when the activators of Table III are added to benzene solutions of 2a corresponds to fluorescence from the excited singlet state of the activator. The spectrum of the chemiluminescence emission in all cases is identical with the photoexcited fluorescence spectrum of the activator. The relative initial instantaneous chemiluminescence intensity is highly dependent upon the nature of the activator employed; after correcting for differences in fluorescence quantum yields, photomultiplier tube and monochromator efficiencies, a hundred thousand fold range in intensity is observed. The corrected relative intensity is uniquely predicted by the one electron oxidation potential of the activator. This relationship is shown in Figure 5. The correlation between the kinetics (Figure 4) and relative initial intensities (Figure 5) for the series of activators investigated clearly demonstrates that the chemiluminescence results from the bimolecular catalytic reaction.

Further evidence that the activators truly catalyze the formation of excited singlet states comes from measurement of the temperature dependence of the initial instantaneous chemiluminescence intensity. This procedure gives the activation energy for that fraction of the reaction which leads to activator fluorescence (i.e. E_{chl}). The activation energy for formation of perylene singlet from 2a in dichloromethane is $(16.1 +.6)$ kcal mol^{-1}, while that for 9,10-bis(phenylethynyl)anthracene (BPEA) under identical conditions is $(18.0 \pm .6)$ kcal mol^{-1}.[24] This compares with the activation energy for formation of acetone singlet from 2a in dichloromethane of $(24.8 \pm .4)$ kcal mol^{-1} and a kinetic acti-

vation energy for unimolecular decomposition of 21 kcal mol[-1] (Table I).
While many species have been found to catalyze a "dark" reaction path of 1,2-
dioxetanes, this is the first reported example of chemiluminescent catalysis;
$\underline{E}_{chl} < \underline{E}_a$, for this ring system.[3c,25]

Yield of Excited States from the Activator Catalyzed Reaction of 2a.

The yield of excited singlet states from the activator catalyzed reaction of
2a was determined relative to the yield of acetone excited states from the
thermolysis of tetramethyldioxetane (1a). The total time integrated chemilum-
inescence intensity for dichloromethane solutions of 2a containing $2 \times 10^{-5}\underline{M}$
rubrene, was compared to acetonitrile solutions of 1a containing 9,10-dibromo-
anthracene as a triplet energy acceptor.[26] After correction for the spectral
response of the photomultiplier tube and the monochromator, and using 30% as
the efficiency of excited acetone production from 1a,[20] the measured total
intensity ratio shows that in dichloromethane at 24.5°C, 10 ±5% of the dioxe-
tanone molecules that react by the bimolecular path lead to the formation of
rubrene singlet excited state.

Discussion

I Unimolecular Chemiluminescence

The effect of temperature on the efficiency of chemiluminescence from
dimethyldioxetanone is composed of the temperature effect on all steps lead-
ing to and including luminescence. The temperature dependence of the fluor-
escence efficiency of acetone is negligible in the range investigated.[15b]
Therefore, $\underline{E}_{chl}$ measures the composite activation energy for the formation of
excited singlet acetone. The standard kinetic activation energy, E_a, however,
measures the barrier to the lowest energy transition state available to the
unimolecular reaction of 2a. Our finding that $\underline{E}_{chl}$ is 3-4 kcal mol[-1] higher

than E_a, as summarized in Table I, requires that there be two or more competitive parallel pathways with discrete transition states for dimethyldioxetanone decomposition. The more highly activated of these paths leads to excited states, while the lower path leads to "dark" decomposition. While this kinetic analysis cannot reveal the exact nature nor the position along the reaction coordinate of these two transition states, two limiting situations exist, as depicted in Figure 6.

Two competitive concerted reactions are depicted in Figure 6a. In this case the measured difference in activation energies between the dark and light-generating paths is simply the difference in energy between the two transition states. In the mechanism depicted in Figure 6b, a common rate determining step leads to an intermediate 1,4-biradical. This biradical then partitions between the lower energy path to give ground state acetone, and a higher energy path to generate singlet excited acetone. For this case the temperature dependence of the instantaneous rate of light emission is given by eq 3, where A is a constant composed of instrument parameters and preexponential factors, E_a is the activation energy for formation of the intermediate biradical, and E_L and E_D are activation parameters for fragmentation of the biradical to excited and ground state acetone, respectively.[27] This analysis indicates that the difference in activation energies between the light generating and non-light generating paths is the difference in transition state energies for the two paths leading from the intermediate biradical. Our data do not provide a distinction between the operation of the two mechanisms of Figure 6. In both cases, the experimentally observed ordering of transition states is readily understood in terms of the Hammond postulate; the more exothermic reaction, formation of ground state products, has the lower activation barrier.

$$I = A \exp \left\{ - \left[E_a - (E_L - E_D) \right] / RT \right\} \tag{3}$$

Dimethyldioxetanone is qualitatively similar to simply alkyl substituted dioxetanes in that formation of excited triplets is preferred over singlets. The actual ratio of triplet to singlet products from $2a$ is 15, which is small compared to that from nearly all alkyl substituted dioxetanes that have been studied (in general triplet to singlet ratios of greater than 100 are observed).[3] Benson group additivity calculations[28] indicate that the decomposition of dimethyldioxetanone is nearly 20 kcal mol^{-1} more exothermic than the decomposition of tetramethyldioxetane.[29] The chemiluminescence activation energy of $1a$[15b] is 3 kcal mol^{-1} greater than that of $2a$. At the transition state, therefore, approximately 17 kcal mol^{-1} more energy is available from $2a$ than $1a$ for formation of excited acetone. The ratios of triplets to singlets may be determined simply by the relative energies of the excited states and the transition states leading to them. In terms of the biradical mechanism, the formation of both singlet and triplet acetone from the biradical intermediate derived from $2a$ is quite exothermic. A relatively low triplet to singlet ratio results. For tetramethyldioxetane, formation of singlet acetone from the biradical requires significantly more energy than formation of triplet, and the high triplet to singlet ratio of 150 is observed. The nearly statistical triplet to singlet ratio of excited methylglyoxal (whose excited state energies lie approximately 20 kcal mol^{-1} below those of acetone) from the thermolysis of 3-acetyl-4,4-dimethyl-1,2-dioxetane was recently rationalized in these terms.[30] Not this line of reasoning, however, nor any mechanism yet postulated to explain the chemical formation of excited states, can explain why the _total_ yield of acetone excited states from the thermolysis of $2a$ is nearly twenty times lower than the excited acetone yield from the less exothermic thermolysis of $1a$.

II Activator Catalyzed Chemiluminescence

The findings described herein on the activator catalyzed chemilumin-escence of dimethyldioxetanone are fully consistent with the generalized mech-anism for chemical light formation which we have recently identified as chem-ically initiated electron exchange luminescence (CIEEL).[31] The proposed sequence as applied to dimethyldioxetanone is shown in Scheme I. In short, the light-generating sequence is initiated by electron transfer from the acti-vator (ACT) to the dioxetanone. Subsequent decarboxylation gives acetone radical anion. Annihilation of acetone radical anion and activator radical cation generates the excited state of the activator.

Scheme I

$$2a \qquad\qquad \text{Encounter Complex} \qquad (4)$$

$$(5)$$

$$(6)$$

Formation of an encounter complex by diffusion together of reactants (rate constant k_{12}) is the initial event of any bimolecular reaction. The reverse reaction, k_{21}, is diffusion limited as well in the Weller model for electron transfer,[32] which we adopt. Thus the encounter complex of eq 4 is expected to enjoy only a fleeting lifetime. In fact, we have not been able to detect the complex in the electronic absorption spectrum of activator-dioxetanone mixtures.

The key feature of the proposed pathway is composed of the electron transfer (k_{ACT}) and bond cleavage (k_{30}) steps, and we shall analyze them in some detail. The electron transfer within the encounter complex is endergonic and thus does not occur spontaneously. The mechanism of the activation is analyzed in Figure 7. Consider a stretching of the oxygen-oxygen bond of the encounter complex. One possible result of this motion is that the bond cleaves homolytically (just as we suspect in the unimolecular reaction) yielding a new complex of activator and 1,4-biradical. In Figure 7 this path is shown as the correlation of the encounter complex (ACT---O—O) with the state ACT--[O$^\bullet$ O$^\bullet$]. There is, however, another electronic configuration available to the bond-cleaved state, one in which an electron has been transfered from ACT to the fragmented peroxide.

$$\text{(structure with O}^\bullet\text{, O}^\bullet\text{)} \quad \text{DMP} \;\rightleftharpoons\; \text{(structure with O}^\bullet\text{, carboxylate)} \; \text{DMP}^{(\overset{+}{\cdot})} \quad (7)$$

$$7a$$

The relative energies of these two species can be estimated from electrochemical measurements. Comparison of the electrochemical oxidation potential of DMP with that of alkyl carboxylate anions[33] (which we must used as a model for $7a$) predicts that the state ACT$^{+\cdot}$ - - [O$^-$ O$\cdot$] lies at least 18 kcal mol^{-1} lower in energy than the biradical state. Thus, stretching the oxygen-oxygen bond of the peroxide-activator encounter complex leads to an avoided crossing (dotted region

of Figure 7) of the biradical and electron-transferred state and this simple

motion, therefore, provides a path for the electron transfer. The vibrationally

excited radical ion pair shown in brackets in eq 5, may be an intermediate

or, more likely, a transition state. In any case, we suspect that the oxygen-

oxygen bond of this state cleaves rapidly ($k_{30} \gg k_{-ACT}$), giving the radical ion

pair λ.

The correlation of the catalytic rate constant, k_{cat}, with the oxidation

potential of the activator (Figure 4), follows directly from the above consid-

erations.[34] We can express k_{cat} in terms of the oxidation potential of the

activator (E_{ox}), the reduction potential of the peroxide (E_{red}), and the coulom-

bic attraction between the developing oppositely charged radical ions (E_{coul}),

as in eq 8, where K is a constant. The factor α is similar to the well-known

$$\ln k_{cat} = \ln(K) + \frac{\alpha(E_{red} + E_{coul})}{RT} - \frac{\alpha(E_{ox})}{RT} \tag{8}$$

transfer coefficient which generally takes a value between 0.3 and 0.7 for

electrode reactions.[35] Only a fraction (α) of the total free energy change,

as measured by the thermodynamic quantities E_{ox} and E_{red}, is realized as an

increase in the activation barrier. Thus the plots of $\ln(k_{cat})$ vs. E_{ox} in

Figure 4 and also therefore the plot of ln(Intensity) vs. E_{ox} in Figure 5

yield a straight line of slope $-\alpha/RT$, where $\alpha=0.3$, for both plots, within

experimental error. We have observed this slope from the CIEEL reaction of

other peroxides as well.[31,36]

One notable feature of the correlation of k_{cat} and of relative initial

chemiluminescence intensity with activator oxidation potential in Figures 4

and 5, respectively, is the widely varying nature and structure of the activa-

tors that follow this relationship. One apparent exception is zinc tetraphenyl-

porphyrin. It behaves as the other activators in the reaction with dimethyl-

dioxetanone in that the reaction follows first order kinetics, it is not consumed by $2a$, and it follows eq 2. Its catalytic rate constant, $\underline{k}_{cat}$, however, appears to be at least an order of magnitude larger than is predicted by its oxidation potential (0.73 V vs. SCE)[37] and Figure 4. The initial chemiluminescence intensity, moreover, is consistent with this large $\underline{k}_{cat}$. We are continuing to investigate this apparent anomaly.

According to eq 8, the magnitude of $\underline{k}_{cat}$ will also be dependent on the reduction potential of the peroxide. Comparison of catalytic rate constants for various peroxides bears this out. Diphenoyl peroxide, a diacyl peroxide, reacts with rubrene in dichloromethane twenty times faster than dimethyldioxetanone, a peroxyester, under similar conditions.[31,1b] Peroxyesters are more difficulty reduced than diacyl peroxides.[38] Simple alkyl peroxides are even more difficultly reduced.[39] Consistent with this, we have not yet detected kinetically an activator catalyzed component of the reaction of tetramethyldioxetane, even with DMP, the most easily oxidized activator of the present series.

The lack of a measurable acceleration of the rate constant of tetramethyldioxetane decomposition by DMP does not, however, exclude significant light generation by a CIEEL pathway in this system. A small CIEEL component, even one too small to discern kinetically, but which had a high efficiency of excited state generation, could easily account for a significant fraction of the chemiluminescence, since it would be competing with the rather inefficient singlet production of the unimolecular reaction.

This is in fact the situation at hand with $2a$. The continuity of the intensity vs. oxidation potential plot (Figure 5) demands that even for the more difficultly oxidized hydrocarbons, the majority of the chemiluminescence results from the activator catalyzed path. Yet, as indicated in Table III, only a

very small fraction of the dioxetanone molecules may be reacting via this path. Under the conditions of the intensity experiment ([Activator] = $2 \times 10^{-5}\underline{M}$), for example, no rate acceleration is observed for any of the aromatic hydrocarbons. Yet our results show that in this experiment only 15% of the light produced when perylene is the activator arises from energy transfer from acetone singlet, the remaining 85% is derived from the CIEEL path.[40] With rubrene as activator at $2 \times 10^{-5}\underline{M}$ only 1% of the light results from energy transfer. The remaining 99% comes from the CIEEL path, and still there is no experimentally measurable effect of rubrene on the rate of the reaction. This finding is a reflection of the much greater light producing potential of the CIEEL reaction compared to the unimolecular fragmentation of 2a.

Importantly, these ideas demonstrate the inapplicability of the use of 9,10-diphenylanthracene (DPA) ($\underline{E}_{ox}$ = 1.22 V) as an energy transfer acceptor in the measurement of carbonyl excited state yields from the unimolecular reaction of dioxetanones, and even question the reliability of its use with dioxetanes. Upon extrapolation to infinite DPA concentration, as is the standard procedure,[41] even a very small $\underline{k}_{cat}$ yields an infinite rate. At infinite DPA concentration, the CIEEL component of the total light yield may well be substantial.

In Scheme I we suggest that the radical anion species 7 decarboxylates to give acetone radical anion. In fact our results do not distinguish between this and the other possible pathway of carbon-carbon bond cleavage, namely loss of neutral acetone and formation of carbon dioxide radical anion. In either case, the fragmentation converts a relatively easily reduced species (7) to a highly reducing species, be it acetone or carbon dioxide radical anion, in the same solvent cage as activator radical anion. Evidence that the entire light generating sequence occurs within the initial solvent cage comes from the observation that the yield of light is not affected by oxygen or small amounts of water. Free radical ions would be expected to react rapidly with these species.

The final step of the chemiexcitation sequence is annihilation of the
radical ions to form the excited state of the activator. The energy available
for excited state generation is simply the sum of the oxidation potential of
the activator and the reduction potential of acetone (or carbon dioxide).
Unfortunately, a rigorous analysis of the energetics of the annihilation (based
on electrochemical data) is not possible. No reversible electrochemical reduc-
tion of carbon dioxide[42] or of acetone[43] has been reported. Observed poten-
tials therefore yield only a lower limit to the energetics. Moreover, chemi-
luminescence experiments were carried out in benzene solvent, in which no elec-
trochemical data can be obtained. We are currently probing the effect of sol-
vent on charge annihilation efficiency in other systems. The continuity of
the intensity plot of Figure 5 does suggest that even for DMP (E_{ox} = 0.11 V, E_s =
72 kcal mol^{-1}) the charge annihilation is energy sufficient for formation of
DMP singlet. In fact, this continuity indicates that while the rate of the
initial electron transfer depends critically on the activator, the efficiencies
of all subsequent steps in the excited state generating sequence are indepen-
dent of activator, despite their diverse structure.

Conclusion

The dual chemiluminescent pathways for the thermal reaction of dioxetanone
2a make it a unique member of the dioxetane class. The unimolecular chemilumin-
escence appears to fall easily within the framework of conventional dioxetanes.[3]
For example, triplet acetone is formed some fifteen times more efficiently than
is singlet excited acetone. The total yield of excited state product from 2a,
however, is more than twenty times less than that of tetramethyldioxetane. The
low yield is reflected in the difference in the activation energies between
the chemiluminescent and the dark reaction path. There may be a similar

relationship between the yield of excited states and activation energy operating for tetralkyldioxetanes as well. In these cases, however, the magnitude of the activation energy difference may be too small to detect experimentally. We can offer no explanation for the comparitively low yield (despite the large reaction exothermicity) of electronically excited states from 2a.

The involvement of the CIEEL process in the thermolysis of 2a immediately offers new insight into many previously perplexing proposals of dioxetane or dioxetanone intermediacy in various chemi- and bioluminescent reactions. For example, the discovery of activated chemiluminescence for 2a, and the finding that intramolecular electron transfer can generate a very high yield of electronically excited singlet,[45] has prompted us to speculate that an intramolecular version of the CIEEL mechanism is operating in the bioluminescence of the firefly.[44] Our experience with 2a, and other peroxides capable of reactions releasing sufficient energy to populate electronically excited states, indicates that the most important light generating process is the CIEEL reaction. We are continuing to probe the generality of this conclusion and the details of the reaction mechanism.

Experimental Section

General. Proton magnetic resonance spectra were recorded on a Varian Associates EM-390 instrument, with tetramethylsilane as internal standard. UV-spectra were recorded on a Cary 14 spectrometer. Mass spectra were obtained with Varian MAT CH-5 and 731 mass spectrometers. Elemental analyses were performed by Mr. J. Nemeth and Associates, Department of Chemistry, University of Illinois, Urbana. Melting points are uncorrected. Liquid chromatography was performed on neutral alumina unless otherwise noted.

Chemiluminescence Measurements. The photon counting technique was used, employing an EMI 9813B photomultiplier tube. Spectral resolution was achieved with a Jarrel-Ash 0.25 M monochromator. The band pass under high resolution conditions (as were used in obtaining the spectra in Figure 1) is calculated using data provided by the manufacturer, to be 5nm. For low resolution conditions (as were used in obtaining relative activator intensities, see below) the band pass is calculated to be 26nm. Sample temperature was regulated to within $\pm$ 0.05°C by means of a Haake constant temperature circulating bath. A National Bureau of Standards thermometer was used to calibrate sample temperatures.

Chemiluminescence Solvents. Benzene (Burdick and Jackson Laboratories; distilled in glass) and $C_2Cl_3F_3$ (Freon 113, Matheson) were shaken with sulfuric acid, saturated sodium bicarbonate and water, dried over calcium chloride, passed through basic alumina, stirred over ethylenediaminetetraacetic acid (NA_4EDTA), and distilled. Carbon tetrachloride (Mallinckrodt spectrograde) was irradiated through Pyrex in the presence of benzophenone to remove sources of abstractable hydrogen, and was then passed through basic alumina, and distilled. Dichloromethane (Mallinckrodt spectrograde) was distilled from P_2O_5. Fluorobenzene (Aldrich)

was passed through basic alumina and distilled from NA_4EDTA. Trichlorofluoro-
methane was distilled prior to use.

Dimethyldioxetanone (2a). Preparation was by the dicyclohexylcarbodiimide
(DCC) mediated dehydrative cyclization of α-hydroperoxyisobutyric acid, as
detailed by Adam and coworkers.[5] The dioxetanone was prepared in CCL_4,
$C_2Cl_3F_3$ or fluorobenzene. After purification by bulb to bulb distillation
(with codistillation of solvent) the peroxide solutions were stored in Teflon
lined vials on dry ice. The dioxetanone concentration, typically 0.03 $\underline{M}$, was
determined by ^1H NMR at -10°C, using either p-dichlorobenzene or dibenzylether
as internal standard. The kinetics of the thermolysis of dilute benzene solu-
tions of 2a were independent of the batch of dioxetanone, as were the chemi-
luminescence emission spectra.

Tetramethyldioxetane (1a) was prepared and purified as described by
Kopecky and coworkers.[46]

Activators. Rubrene, tetracene, and perylene (Aldrich) were chromato-
graphed eluting with benzene, and were then recrystallized from purified ben-
zene. 9,10-Bis-(phenylethynyl)anthracene (BPEA) and 5,12-bis-(phenylethynyl)
tetracene (BPET) were prepared by published procedures,[47] and were purified by
chromatography. Zinc tetraphenylporphyrin (Sigma), purified according to
Barnett et al,[48] was chlorin free ($\leq 1\%$) by visible absorption spectroscopy.
5,10-Dimethyl-5,10-dihydrophenazine (DMP) (3), prepared according to Gilman,[49]
was purified by chromatography eluting with 25% ether in hexane, sublimation
(90°C, 2×10^{-5} mm) and recrystallization from benzene-hexane. 9,14-Dimethyl-9,14-
dihydrodibenzo[a,c]phenazine (DMAC) (5) was prepared and purified according to
published procedures.[50] N,N-Dimethyl-6-aminochrysene was prepared by dimethyl-
sulfate methylation of 6-aminochrysene.[51]

6,13-Dimethyl-6,13-dihydrodibenzo[b,i]phenazine (4). 6,13-Dihydrodibenzo
[b,i]phenazine (0.52g, 1.8 mmol, Aldrich) was stirred in 15 mL of dry tetrahy-
droforan. Lithium diisopropylamide, prepared from 4.2 mmol of diisopropylamine
and 4.2 mmol of n-butyllithium, was added dropwise, affording a deep red solu-
tion which was stirred at room temperature for 1.5 h. Iodomethane (1.2 mL,,
19 mmol) was added, discharging the red color and yielding a green precipitate.
After dilution with water, the mixture was CH_2Cl_2 extracted. Drying ($MgSO_4$)
and concentration gave 528 mg of crude 4. Chromatography, eluting with 12%
THF in hexane, yielded 200 mg (35%) of pure 4, mp >300°C after recyrstalliza-
tion from benzene—hexane, as pale yellow plates: [1]H NMR ($CDCl_3$) δ 3.35 (s,
6H, methyl), 6.76 (s, 4H, aromatic), 7.10-7.25 and 7.45-7.60 (symmetric m,
8H, aromatic); MS (70 eV) m/e,(rel abundance) 311(20), 310(87), 296(30), 295
(100), 286(19), 285(97), 155(24), 148(24), 140(36); Molecular ion: Calcd for
$C_{22}H_{18}N_2$, m/e 310.1466; Found, 310.1469. UV (benzene) λ_{max} (log ε) 296
(4.63), 397(4.06).

Anal. Calcd for $C_{22}H_{18}N_2$: C, 85.10; H, 5.84; N, 9.06. Found: C, 85.01;
H, 5.87; N, 8.93.

9,14-Dimethyl-9,14-dihydrophenanthro[4,5-abc]phenazine (6). Freshly cut
sodium (520 mg, 22.6 mmol) was stirred in 15 mL of dry tetrahydrofuran. Phe-
nanthro[4,5-abc]phenazine[52] (700 mg, 2.3 mmol) was added in portions over 0.5
h, and the resulting mixture was stirred at room temperature for 5h. Ido-
methane (1.5 mL, 24 mmol) was added, discharging the black color. To the
resulting red solution was added water and then saturated NH_4Cl. Ether extrac-
tion, drying of the organic materials and concentration afforded 700 mg of a
red-yellow oil. Chromatography, eluting with 20% ether in hexane, gave 250
mg (33%) of 6 as a yellow orange solid. Samples for chemiluminescence experi-
ments were recrystallized in benzene—hexane: mp 211.5-212°; [1]H NMR ($CDCl_3$) δ

3.50 (s, 6H, methyl), 7.05 (m, 4H, aromatic), 7.76-8.05 (m, 6H, aromatic),

8.32-8.48 (m, 2H, aromatic); MS (70 eV) $\underline{m/e}$,(rel abundance) 335(9), 334(35),

320(25), 319(100), 305(14), 304(60), 303(11), 154(23); Molecular ion: Calcd·

for $C_{24}H_{18}N_2$; $\underline{m/e}$ 334.1466. Found: 334.1468; UV (benzene) λ_{max} (log ε)

314(4.53), 328(4.52), 398(3.75).

Anal. Calcd for $C_{24}H_{18}N_2$: C, 86.20; H, 5.43; N, 8.38. Found: C, 86.39;

H, 5.38; N. 8.21.

Chemiluminescence Intensity Activation Energy, E_{chl}. Samples were pre-
pared at 0°C by dilution of dimethyldioxetanone stock solution (either $C_2Cl_3F_3$

or CCl_4) in the appropriate solvent (normally 50 μL in 2 mL). Typical dioxe-

tanone concentrations were 9×10^{-4} $\underline{M}$. The air saturated solutions were trans-

ferred to a quartz cell equipped with a Teflon stopcock, placed in the thermo-

stated cell holder and allowed to equilibrate over four minutes. That thermal

equilibration was achieved was demonstrated by the constancy of chemilumin-

escence intensity, which was then averaged over the next minute. Thus a total of

five minutes was required for the measurement. During this time, even at 15°C

($k=1.5 \times 10^{-4}$ s^{-1}), less than 5% of the dioxetanone has reacted. This is veri-

fied by the constancy of the intensity (within 5% experimental error)recorded

over the one minute measurement. Typically the intensities of two to three

runs at each temperature were averaged. Intensities were measured at 5 or 6

temperatures in the range of -4 to + 14°C. The derived activation energies

are summarized in Table I.

Absolute Yields of Singlet and Triplet Excited Acetone from Thermolysis
of 2a at 30.0°C. The yield of light from 2a was determined by direct compari-

son of the total time integrated acetone fluorescence (air saturated solution)

and phosphorescence (argon saturated solution) intensities with that from the

thermolysis of tetramethyldioxetane (1a) in $C_2Cl_3F_3$ at 30.0°C. The total

integrated light intensity I_n for thermolysis of 1a was determined according
to eq 9, where I_o is the instantaneous intensity at time zero, and k is the
rate constant for the decay of the chemiluminescence intensity. The rate con-

$$I_n = I_o \, [1/k] \tag{9}$$

stant at 30.0°C, $k_{30°}$, was determined according to eq 10, where k_{tn} is the
rate constant for thermolysis of 1a at temperature T_n. Rate constants were
measured at five temperatures between 60 and 80°C by monitoring the decay of
chemiluminescence from 1a. A least squares analysis of a plot of $\ln(k_{tn})$ vs
$(1/T_t - 1/T_n)$ where T_t = 313.14°K (Table IV) affords $k_{30°}$ = $(1.7 \pm .2) \times 10^{-6}$
s^{-1}.

$$\ln (k_{tn}) = \ln k_T - E_a/R \, (1/T_t - 1/T_n) \tag{10}$$

The total acetone fluorescence intensity from 2a was 0.6 ± 0.1 times that from
1a. The total acetone phosphorescence intensity from 2a was 0.05 ± 0.01 times
that from 1a. Using 0.2^{19} and 30%[20] as the singlet and triplet yields from
1a, this comparison gives 0.1 and 1.5% for the singlet and triplet yields
respectively, from 2a at 30.0°C.

Temperature Dependence of the Singlet Excited Acetone Yield from Ther-
molysis of 2a. The relative total time integrated acetone fluorescence inten-
sities in air saturated $C_2Cl_3F_3$ solutions, 3.4×10^{-4} M in 2a, were determined
at eight temperatures between -5 and 30°C. Results are summarized in Table II.
For temperatures of 9.8°C and above, the total integrated intensity was measured
directly. For lower temperatures, initial instantaneous intensities were
measured, and the total intensities calculated by eq 9. The required rate
constants, k_{tn}, were obtained according to eq 10 employing the experimentally
determined rate constants from the range 9.7 to 34.0°C as shown in Table V.

Initial Intensities from the Activator Catalyzed Reaction of 2a. Intensities were determined at 2×10^{-5} $\underline{M}$ in activator (to minimize self-absorption) in benzene solution at $24.5°C$. The intensities were measured at the wavelength of maximum activator fluroescence, under low resolution conditions, such that the emission spectra were Gaussian. Correction for photomultiplier tube and monochromator efficiencies were made using data supplied by the manufacturer and the center of gravity of the emission spectra. A small acetone emission was subtracted.

Solutions of activator in benzene were argon purged at $6°C$ for 4 min, and were then equilibrated at $24.5°C$ for 5 min. The dioxetanone stock solution was then injected directly into the cell (typically 10 µL to 2 mL). The initial intensity was then obtained by extrapolation of the first order decay back to zero time. At most a 10 s extrapolation was required. Control experiments showed that activator fluorescence was not quenched by the addition of the small amount of air saturated fluorobenzene or $C_2Cl_3F_3$ dioxetanone solutions.

Chemical Yield of Acetone from the DMAC catalyzed decomposition of 2a. The concentration of 2a in a fluorobenzene stock solution was determined by ^{1}H NMR at $-10°C$, using dibenzylether as internal standard. To this was added, at $0°C$, a solution of DMAC in benzene, bringing the concentration of DMAC to 2.3×10^{-3} $\underline{M}$. At this concentration of DMAC, essentially 100% of the reaction of 2a proceeds by the catalyzed path. Determination of the acetone concentration gave a yield of 96-100%.

References and Notes

(1) Some of these results have appeared in preliminary form as communications:

    (a) Schmidt, S. P.; Schuster, G. B. J. Am. Chem. Soc. 1978, 100, 5559.

    (b) Schmidt, S. P.; Schuster, G. B. J. Am. Chem. Soc. 1978, 100 1966.

(2) (a) University of Illinois Fellow, 1976-79; (b) Fellow of the Alfred P. Sloan Foundation, 1977-79.

(3) (a) Horn, K. A.; Koo, J.-y.; Schmidt, S. P.; Schuster, G. B. Mol. Photochem. 1978-79, 9, 1. (b) Adam, W. Adv. Heterocyclic Chem. 1977, 21, 437. (c) Wilson, T. Int. Rev. Sci: Phys. Chem., Ser. Two, 1976, 9, 265.

(4) (a) Adam, W.; Liu, J.-C. J. Am. Chem. Soc. 1972, 94, 2894. (b) Adam, W.: Steinmetzer, H.-C. Angew. Chem., Int. Ed. Engl. 1972, 11, 540. (c) Turro, N. J.; Ito, Y.; Chow, M.-F.; Adam, W.; Rodriquez, O.; Yany, F. J. Am. Chem. Soc. 1977, 99, 5836.

(5) Adam, W.; Alzérreca, A.; Liu, J.-C.; Yany, F. J. Am. Chem. Soc. 1977, 99, 5768.

(6) McCapra, F. Acc. Chem. Res. 1976, 9, 201. Adam, W. J. Chem. Ed. 1975, 52, 138

(7) Shimomura, O.; Goto, T.; Johnson, F. H. Proc. Natl. Acad. Sci. USA 1977, 74, 2799. White, E. H.; Miano, J. D.; Umbreit, M. J. Am. Chem. Soc. 1975, 97, 198.

(8) McCapra, F. Chem Commun. 1968, 155.

(9) Seliger, H. H.; McElroy, W. D. Arch. Biochem. Biophys. 1960, 88, 136.

(10) Adam, W.; Simpson, G. A.; Yany, F. J. Phys. Chem. 1974, 78, 2559.

(11) Adam, W.; Cueto, O.; Yany, F. J. Am. Chem. Soc. 1978, 100, 2587.

(12) Sawaki, Y., Ogata, Y. J. Org. Chem. 1977, 42, 40.

(13) The chemiluminescence emission spectra from 1a and 2a (Figure 1) show more structure than spectra previously reported for 1a: Turro, N. J.; Steinmetzer, H.-C., and Yekta, A. J. Am. Chem. Soc. 1973, 95, 6468. We

attribute this to better spectral resolution. (See Experimental Section.) Spectra obtained from 1a in acetonitrile show similar structure.

(14) Haas, Y.; Yahav, G. Chem. Phys. Lett. 1977, 48, 63.

(15) (a) Wilson, T.; Schaap, A. P. J. Am. Chem. Soc. 1971, 93, 4126. (b) Steinmetzer, H.-C.; Yekta, A.; Turro, N. J. ibid. 1974, 96, 282.

(16) Wilson, T.; Landis, M. E.; Baumstark, A. L.; Bartlett, P. D. J. Am. Chem. Soc. 1973, 95, 4765.

(17) Bartlett, P. D.; Baumstark, A. L.; Landis, M. E. J. Am. Chem. Soc. 1974. 96, 5557.

(18) For methyl-1-adamantyldioxetanone, reported activaton parameters are $\Delta H^{\ddagger}$ = 13.7 kcal/mol, and $S^{\ddagger}$ = -24.1 eu.[4b] Trace impurity catalysis appears to dominate the decomposition in this case.

(19) (a) Turro, N. J.; Lechtken, P. J. Am. Chem. Soc. 1972, 94, 2886. (b) Adam, W.; Duran, N.; Simpson, G. A.; ibid 1975, 97, 5464.

(20) (a) Wilson, T.; Golan, D. E.; Harris, M. S.; Baumstark, A. L.; J. Am. Chem. Soc. 1976, 98, 1086. (b) Kopecky, K. R.; Filby, J. E. Can. J. Chem. 1979, 57, 283. (c) Adam, W.; Cheng, C.-C.; Cueto, O.; Sakanishi, K.; Zinner, K. J. Am. Chem. Soc. 1979, 101, 1324.

(21) Adam and coworkers[10] determined a 0.05% singlet acetone yield from 2a at 23°C by absolute fluorescence intensity. Recently, Adam and coworkers[20c] determined a (1.1 ± 0.1)% triplet acetone yield from 2a by chemical titration.

(22) Lechtken, P. Chem. Ber. 1976, 109, 2862.

(23) The lone exception in the present series of activators is N,N-dimethyl-6-aminochrysene (DMACh) which is consumed in the reaction with 2a. The kinetics therefore were carried out with excess DMACh, and first-order

behavior was observed. The electrochemical oxidation of DMACh is irrever-
sible.

(24) These values represent a composite activation energy for all steps lead-
ing to and including luminescence. For example, the temperature depend-
ence of the rate of separation of the cage ion pairs (see below) is also
included: Werner, H.-J.; Schulten, Z.; Schulten, K. J. Chem. Phys. 1977,
67, 646.

(25) Two examples of silica gel catalyzed chemiluminescence from aryldioxetanes
have been recently reported but no activation parameters were given:
Zaklika, K. A.; Burns, P. A.; Schaap, A. P. J. Am. Chem. Soc. 1978, 100,
318. McCapra F.; Beheshti, I.; Burford, A.; Hann, R. A.; Zaklika, K. A.
J. Chem. Soc., Chem. Commun. 1977, 944.

(26) (a) The fluorescence efficiency of 9,10-dibromoanthracene was taken to
be 10% at 25°C and the triplet-singlet energy transfer efficiency 25%.[20a,26b]
(b) Berenfel'd, V. M.; Chumavskii, E. V.; Grinev, M. P.; Kuryatnikov, Y. I.;
Artem'ev, E. T.; Dzhagatspanyan, R. V. Bull. Acad. Sci. USSR, Phys. Ser.
(Eng. Transl.) 1970, 3, 597.

(27) Application of the steady-state approximation for [acetone*] leads to
eq 11. Under the conditions of the experiment, [2a] is constant. There-
fore when $k_L \ll k_D$, eq 11 reduces to eq 3.

$$\text{Intensity} \propto k_A \, [2a] \, [k_L/(k_L + k_D)] \tag{11}$$

(28) Benson, S. W.; Cruickshank, F. R.; Golden, D. M.; Haugen, G. R.; O'Neal,
H. E.; Rodgers, A. S.; Shaw, R.; Walsh, R. Chem. Rev. 1969, 69, 279.

(29) (a) Calculated values of ΔH_r° are: dioxetanone 2a -88 kcal mol^{-1};[29b]
dioxetane 1a, -68.8 kcal mol^{-1}.[29c] (b) Richardson, W. H.; O'Neal, H. E.
J. Am. Chem. Soc. 1972, 94, 8665. (c) Richardson, W. H.; O'Neal, H. E.
ibid. 1970, 92, 6553.

(30) Horn, K. A.; Schuster, G. B. J. Am. Chem. Soc. 1978, 100, 6649.

(31) Koo, J.-y.; Schuster, G. B. J. Am. Chem. Soc. 1978, 100, 4496.

(32) Rehm, D.; Weller, A. Isr. J. Chem. 1970, 8, 259.

(33) The electrochemical oxidation of alkyl carboxylates is irreversible. Use of this potential therefore provides only a lower limit to energy separation of the two states: Reichenbacher, P. H.; Morris, M. D.; Skell, P. S. J. Am. Chem. Soc. 1968, 90, 3432.

(34) Schuster, G. B.; J. Am. Chem. Soc. submitted for publication.

(35) Delahay, P. "Double Layer and Electrode Kinetics" Wiley-Interscience, New York, 1965, Chapter 7.

(36) Dixon, B. G.; Schuster, G. B. J. Am. Chem. Soc. in press.

(37) Wolberg, A. Isr. J. Chem. 1974, 12, 1031.

(38) Silbert, L. S; Witnauer, L. P.; Swern, D.; Ricciuti, C. J. Am. Chem. Soc. 1959, 81, 3244.

(39) Kuta, E. J.; Quackenbush, F. W. Anal. Chem. 1960, 32, 1069.

(40) This estimation was made by taking 0.001 for the fluorescence efficiency of acetone, $2 \times 10^{10} M^{-1} s^{-1}$ for the energy transfer rate constant, and 2 ns for acetone singlet lifetime, and comparing the relative perylene and acetone emission intensities.

(41) Turro, N. J.; Lechtken, P.; Schuster, G.; Orell, J.; Steinmetzer, H.-C.; Adam, W. J. Am. Chem. Soc. 1974, 96, 1627.

(42) Chang, M.-M.; Saji, T.; Bard, A. J. J. Am. Chem. Soc. 1977, 99, 5399. A cathodic peak at -2.2V vs. SCE, but without a reversal peak, was observed.

(43) Loutfy, Rafik O.; Loutfy, Raouf O. Can. J. Chem. 1972, 50, 4052. A polarographic half-wave potential of -2.3 V is reported.

(44) Koo, J.-y.; Schmidt, S. P.; Schuster, G. B. Proc. Natl. Acad. Sci. USA 1978, 75, 30.

(45) McCapra, F. J. Chem. Soc.,Chem. Comm. 1977, 946.

(46) Kopecky, K. R.; Filby, J. E.; Mumford, C.; Lockwood, P. A.; Ding, J.-Y. Can. J. Chem. 1975, 53, 1103.

(47) Maulding, D. R.; Roberts, B. G.; J. Org. Chem. 1969, 34, 1734.

(48) Barnett, G. H.; Hudson, M. F.; Smith, K. M. J. Chem. Soc., Perkin I 1975, 1401.

(49) Gilman, H.; Dietrich, J. J. J. Am. Chem. Soc. 1957, 79, 6178.

(50) Smith, J. G.; Levi, E. M. J. Organometal.Chem. 1972, 36, 215.

(51) Bahner, C. T.; Brotherton, D. H.; Kinder, H.; Rich. W.; Watson, S. L. Jr.; Zirkle, J. J. Med. Chem. 1969, 12, 722.

(52) Oberender, F. G.; Dixon, J. A. J. Org. Chem. 1959, 24, 1226.

Table I. Activation Parameters for the

Thermolysis of Dioxetanone 2a.[a]

solvent	E_a, kcal mol^{-1} [b]	E_{chl}, kcal mol^{-1} [c]
$C_2Cl_3F_3$	22.3 ± 0.3 [d]	25.6 ± 0.1
CCl_4	21.3 ± 0.3 [e]	24.5 ± 0.5
PhH	21.8 ± 0.1 [e]	24.9 ± 0.4
CH_2Cl_2	20.8 ± 0.1 [e]	24.8 ± 0.4
$CFCl_3$	—	25.5 ± 0.5

[a] Air saturated solutions. All uncertainties are standard deviations. [b] Temperature range over which rate constants were determined was 15 to 40°C. [c] For details see Experimental Section. [d] Eyring activation enthalpy, $\Delta H^{\ddagger} = 21.7$ kcal mol^{-1}; activation entropy, $\Delta S^{\ddagger} = \pm 1$ eu. [e] Solutions contained NA_4EDTA.

Table II. Temperature Dependence of the Excited

Acetone Yield from Thermolysis of Dioxetanone 2a.[a]

temp, °C	$\phi_s^* \times 10^4$	temp, °C	$\phi_s^* \times 10^4$
30.0	10	9.8	5.7
25.1	8.4	4.8	4.8
20.5	7.4	0.3	4.5
15.4	6.3	-5.0	3.9

[a] $C_2Cl_3F_3$ solutions. Yields were determined relative to the yield at 30.0°C.
For full details see Experimental Section.

Table III. Activator Properties and the Catalytic Reaction with Dimethyldioxetanone in Benzene at 24.5°.

activator	E_{ox}, V[a]	E_s, kcal mol^{-1}[b]	ϕ_{fl}[c]	k_{cat}, M^{-1}s^{-1}	% catalytic[d]
DMP	.11[e]	72	0.36	800 ± 20	95
DMAC	.14	59	0.04	180 ± 20	82
DMPP	.22	56	0.03	230 ± 10	85
DMBI	.46	69	0.88	65 ± 5	62
DMACh[f]	.70[g]	—	—	4.8 ± 0.2	11
Rubrene	.82	54	1.00[h]	0.06 ± 0.01	0.16
Tetracene	.95[i]	60	.16[h]	0.010[j]	0.028
BPET[k]	.97	51	.67[l]	0.010[j]	0.026
Perylene	1.00	65	.89[h]	0.0052[j]	0.013
BPEA[m]	1.165[n]	62	.96[l]	0.0012[j]	0.003

[a] vs. SCE, determined by cyclic voltammetry in CH_3CN solution with tetrabutylammonium perchlorate. This work unless otherwise noted. [b] Singlet energy, assigned from 0-0 band of fluorescence spectrum. [c] Fluorescence efficiency in benzene at 25°C. This work unless otherwise noted. [d] percent of reaction that proceeds through the catalytic path at [ACT] = 2×10^{-5} M, and k_1 = 7.8×10^{-4} s^{-1}. [e] Nelson, R. F.; Leedy D. W.; Seo, E. T.; Adams, R. N. Z. Anal. Chem. 1967, 224, 184. [f] N,N-Dimethyl-6-aminochrysene. [g] cyclic volammetric anodic peak, cathodic peak not observed. [h] Birks, J. B. "Photophysics of Aromatic Molecules"; Wiley-Interscience, London, 1970. [i] Bard, A. J.; Santhanam, K. S. V.; Maloy, J. T.; Phelps, J; Wheeler, L. O. Disc. Farad. Soc. 1968, 45, 167. [j] Calculated by comparing relative intensity to that of rubrene (Figure 5). [k] 5,12-Bis(phenylethynyl)tetracene. [l] ref. 47. [m] 9,10-Bis(phenylethynyl)anthracene. [n] Zweig, A.; Maurer, A. H.; Roberts, B. G. J. Org. Chem. 1967, 32, 1322.

Table IV. Rate Constants for Tetramethyldioxetane (1a) Thermolysis.[a]

temp, °C	k, s^{-1}	
59.30	9.24×10^{-5}	
65.00	1.74×10^{-4}	$E_a = (27.1 \pm 0.6) \text{ kcal mol}^{-1}$
70.10	3.25×10^{-4}	$LogA = (13.8 \pm 0.5)$
75.05	6.04×10^{-4}	
80.70	1.06×10^{-3}	

[a] Air saturated $C_2Cl_3F_3$ solutions, $10^{-4} \underline{M}$ in 1a, in sealed tubes. Determined by monitoring decay of acetone fluorescence intensity.

Table V. Rate Constants for Thermolysis of 2a in $C_2Cl_3F_3$.

temp, °C	k, sec^{-1}	temp, °C	k, sec^{-1}
34.40	1.83×10^{-3} [a]	9.70	7.98×10^{-5} [a]
30.00	1.11×10^{-3} [a]	4.80	$(4.0 \pm .1) \times 10^{-5}$ [b]
25.10	5.89×10^{-4} [a]	0.30	$(2.1 \pm .1) \times 10^{-5}$ [b]
20.50	3.35×10^{-4} [a]	-5.00	$(9.4 \pm .3) \times 10^{-6}$ [b]

[a] Experimental values, from chemiluminescence decay. Air saturated solutions, $3.4 \times 10^{-4} \underline{M}$ in 2a.

[b] Calculated by least squares analysis of eq (10).

Captions for Figures

Figure 1

Chemiluminescence emission spectra from the unimolecular reaction of $2a$ in $C_2Cl_3F_3$: (a) acetone fluorescence, (b) acetone phosphorescence.

Figure 2

Dihydrophenazines used as catalytic chemiluminescence activators.

Figure 3

Effect of activator identity and activator concentration on the observed first order decay of $2a$ in argon purged benzene at 24.5°C: □ ≡ DMP, △ ≡ DMBI, ● ≡ dimethyl-6-aminochrysene, 0 ≡ rubrene.

Figure 4

Correlation of the catalytic rate constant k_{cat} in benzene at 24.5°C with the oxidation potential of activator.

Figure 5

Correlation of the initial chemiluminescence intensity in benzene at 24.5°C, corrected for fluorescence efficiency and photomultiplier tube and monochromator response, with the oxidation potential of activator: 1 = DMP, 2 = DMAC, 3 = DMPP, 4 = DMBI, 5 = rubrene, 6 = tetracene, 7 = BPET, 8 = perylene, 9 = BPEA.

Figure 6

Limiting reaction mechanisms for thermal unimolecular fragmentation of dimethyldioxetanone to acetone and CO_2. Two concerted reactions are represented in A. In B a path leads to an intermediate biradical which has two exit channels.

Figure 7

State correlation diagram for the activated electron transfer with simultaneous cleavage of the oxygen-oxygen bond.

Rel. Intensity

Wavelength (nm)

a

Figure 1a

Rel. Intensity

Wavelength (nm)

Figure 1b

Figure 2

DMP (3)

DMBi (4)

DMAC (5)

DMPP (6)

Figure 3

Figure 4

Figure 5

Figure 6

Figure 7

TECHNICAL REPORT DISTRIBUTION LIST, GEN

	No. Copies		No. Copies
Office of Naval Research 800 North Quincy Street Arlington, Virginia 22217 Attn: Code 472	2	Defense Documentation Center Building 5, Cameron Station Alexandria, Virginia 22314	12
ONR Branch Office 536 S. Clark Street Chicago, Illinois 60605 Attn: Dr. George Sandoz	1	U.S. Army Research Office P.O. Box 1211 Research Triangle Park, N.C. 27709 Attn: CRD-AA-IP	1
ONR Branch Office 715 Broadway New York, New York 10003 Attn: Scientific Dept.	1	Naval Ocean Systems Center San Diego, California 92152 Attn: Mr. Joe McCartney	1
ONR Branch Office 1030 East Green Street Pasadena, California 91106 Attn: Dr. R. J. Marcus	1	Naval Weapons Center China Lake, California 93555 Attn: Dr. A. B. Amster Chemistry Division	1
ONR Area Office One Hallidie Plaza, Suite 601 San Francisco, California 94102 Attn: Dr. P. A. Miller	1	Naval Civil Engineering Laboratory Port Hueneme, California 93401 Attn: Dr. R. W. Drisko	1
ONR Branch Office Building 114, Section D 666 Summer Street Boston, Massachusetts 02210 Attn: Dr. L. H. Peebles	1	Professor K. E. Woehler Department of Physics & Chemistry Naval Postgraduate School Monterey, California 93940	1
Director, Naval Research Laboratory Washington, D.C. 20390 Attn: Code 6100	1	Dr. A. L. Slafkosky Scientific Advisor Commandant of the Marine Corps (Code RD-1) Washington, D.C. 20380	1
The Assistant Secretary of the Navy (R,E&S) Department of the Navy Room 4E736, Pentagon Washington, D.C. 20350	1	Office of Naval Research 800 N. Quincy Street Arlington, Virginia 22217 Attn. Dr. Richard S. Miller	1
Commander, Naval Air Systems Command Department of the Navy Washington, D.C. 20360 Attn: Code 310C (H. Rosenwasser)	1	Naval Ship Research and Development Center Annapolis, Maryland 21401 Attn: Dr. G. Bosmajian Applied Chemistry Division	1
		Naval Ocean Systems Center San Diego, California 91232 Attn: Dr. S. Yamamoto, Marine Sciences Division	1

TECHNICAL REPORT DISTRIBUTION LIST, 051A

	No. Copies		No. Copies

Dr. M. A. El-Sayed
University of California,
  Los Angeles
Department of Chemistry
Los Angeles, California 90024   1

Dr. M. W. Windsor
Washington State University
Department of Chemistry
Pullman, Washington 99163   1

Dr. E. R. Bernstein
Colorado State University
Department of Chemistry
Fort Collins, Colorado 80521   1

Dr. C. A. Heller
Naval Weapons Center
Code 6059
China Lake, California 93555   1

Dr. J. R. MacDonald
Naval Research Laboratory
Chemistry Division
Code 6110
Washington, D.C. 20375   1

Dr. G. B. Schuster
University of Illinois
Chemistry Department
Urbana, Illinois 61801   1

Dr. E. M. Eyring
University of Utah
Department of Chemistry
Salf Lake City, Utah   1

Dr. A. Adamson
University of Southern California
Department of Chemistry
Los Angeles, California 90007   1

Dr. M. S. Wrighton
Massachusetts Institute of
  Technology
Department of Chemistry
Cambridge, Massachusetts 02139   1

Dr. M. Rauhut
American Cyanamid Company
Chemical Research Division
Bound Brook, New Jersey 08805   1

Dr. J. I. Zink
University of California, Los Angeles
Department of Chemistry
Los Angeles, California 90024   1

Dr. B. Schechtman
IBM
San Jose Research Center
5600 Cottle Road
San Jose, California 95143   1

Dr. John Cooper
Code 6130
Naval Research Laboratory
Washington, D.C. 20375   1